BATA INDUSTRIALS CATALOG



It may not come as a surprise to you, but we are in the business of keeping professionals safe. And it doesn't get any more responsible than that. Or does it? Responsibility also means being honest. And to be honest, there is still a world to win for us when it comes to responsibility in terms of sustainability. Source of the business of keeping professionals safe. And it doesn't get any more responsibility also means being honest. And to be honest, there is still a world to win for us when it comes to responsibility in terms of sustainability. Source of the business of keeping professionals safe. And it doesn't get any more responsibility also means being honest. And to be honest, there is still a world to win for us when it comes to responsibility in terms of sustainability.

Of course, our company cannot simply become 100% 'green' overnight. Still we have made progress. We use more and more sustainable materials, work according to more eco-intelligent processes, and are steadily reducing our energy consumption. As we feel responsible for the people wearing our safety shoes, we feel responsible for our planet and the next generations living on it. A safer and cleaner footprint? We are on it!

Enjoy our brand new catalog and if you have any questions or suggestions, please mail us at nl.marcom@bata.com.

Stay safe,

Martijn Mathot

Managing Director



THE SAFETY SHOE

Content

Finding the perfect match	6
Radiance collection	8
Bright collection	12
BOA® Fit System	14
Helix Ultra collection	16
Oil & Gas collections	18
Bickz collection	20
Sportmates® collection	24
Lunar collection	26
Equator collection	30
Tropical collection	32
PU-PU Walkmate collection	34
APAC PVC gumboots collection	36
Professionals collection	38
Tactical collection	40
Mammoet collection	42
SUMM* collection	44
Australian safety/ non-safety gumboots collection	48
Accessories collection	50
Find your shoe	52
The safety standard	53

5

FINDING THE PERFECT MATCH

We know what moves you. We know that people work at their best when they have the right equipment, are well-protected and feel comfortable. Keeping them safe, healthy, active and energized. That's exactly what we're going for.

Through our extensive knowledge and broad experience in various working environments, we know exactly what you need, what your circumstances are, what challenges you face and how you move throughout your day.

Bata Industrials has selected 6 main industries to focus on when we develop our shoes. But it doesn't stop there! We know how much jobs in a single area can vary. That's why we created a perfect footwear solution for any job that needs to be done. The perfect match for your needs

and wishes. We are more than happy to advise you.

For example, we have developed different sole materials and profiles for any working surface. And no matter what climate or weather condition you work in: we have the right upper available. From waterproof to extremely breathable. Whatever the environment or circumstances, Bata Industrials always has The Safety Shoe.

SERIOUSLY.



CONSTRUCTION



HEAVY INDUSTRY



LIGHT INDUSTRY



TRANSPORT & LOGISTICS



AUTOMOTIVE



AGRICULTURE



Seriously safe. Seriously boosting.

The Radiance collection is designed with an eye for style, safety and comfort. In addition to the sporty look, the shoes offer maximum protection and ultimate comfort. All day long. To give your feet the highest level of comfort, the Radiance collection features a special lightweight EVA midsole with 3B-Motion Technology: Bata's Boosting Base. This gives feet a huge power boost every step of the way. In combination with an inlay sole of high elastic EVA and the robust SRC certified Vibram® outsole, this ensures an optimal level of comfort and energy return. Even after a long working day your feet still feel comfortable and you still have a lot of energy left!





FIT ESD

- > Safety category: S1P HI HRO SRC
- > Fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > EVA insole
- > Size range: 34-47













- > Safety category: S1P SRC
- > Fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > EVA insole
- > Size range: 34-47

















> Fly knitted upper/ TPU film > Anti- penetration white layer

- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > EVA insole

VIGOR ESD > Safety category: S1P

> Size range: 34-47















VIM ESD

- > Safety category: S1P SRC
- > Fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > FVA insole
- > Size range: 34-47













ENERGY ESD

- > Safety category: S3 HI HRO SRC
- > Mesh/ fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole > EVA insole
- > Size range: 34-47






















VIBE ESD

- > Safety category: S3
- > Fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > EVA insole
- > Size range: 34-47

















UP ESD

- > Safety category: S3 HI HRO SRC
- > Mesh/ fly knitted upper/ TPU film
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > EVA insole
- > Size range: 34-47



















BRIGHT 021

- > Safety category: S1P
- > Mesh/EVA upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > Mesh/EVA insole
- > Size range: 34-47





"The robust Vibram® outsole is known for its superior quality and performance in terms of SRC slip resistance."





BRIGHT 030

- > Safety category: S1P
- > Mesh/EVA upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole > Mesh/EVA insole
- > Size range: 34-47











DETECTION FRIENDLY

> Safety category: S1P

- **BRIGHT 041**
- > Mesh/EVA upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Breathable mesh lining
- > EVA/Vibram rubber outsole
- > Mesh/EVA insole
- > Size range: 34-47









BOA® FIT SYSTEM

Engineered to provide the highest level of comfort in the toughest of working conditions.



BOA®

Fast, effortless, precision fit

The Boa® Fit System offers the freedom to dial fit in and makes shoe laces obsolete. The High Performance Fit System is quickly adjustable and guarantees a lifetime of carefree work days without laces untangling.

Every construction and configuration is purposebuilt for performance by using three integral parts: a micro-adjustable dial, superstrong lightweight laces and low-friction guides.

HOW TO DIAL IN THE BOA® FIT SYSTEM







TURN FOR PRECISION FIT TIGHTEN



PULL UP FOR FAST RELEAS





HORIZON ULTRA ZIP BLACK/ BROWN/ WHEAT

- > Safety category: SB HRO SRC
- > Full grain leather black upper/ crazy horse leather - brown upper/ nubuck Leather - heat upper
- > Steel toecap
- > Life natural cool comfort lining
- > Rubber outsole
- >> PU/D30 insole
- > Size range: 36-49











LONGREACH ULTRA BLACK/ BROWN

- > Safety category: SB HRO SRC
- > Full grain leather black upper/ crazy horse leather - brown upper
- > Steel toecap
- > Life natural cool comfort lining
- > Rubber outsole
- > PII/D30 insole
- > Size range: 36-49













LONGREACH ULTRA ZIP BLACK

- > Safety category: SB HRO SRC
- > Full grain leather black upper
- > Steel toecap
- > Life natural cool comfort lining
- > Rubber outsole
- > PU/D30 insole > Size range: 36-49











RANGER ULTRA BOA BLACK/ WHEAT

- > Safety category: SB HRO SRC
- > Full grain leather black upper/ nubuck leather - wheat upper
- > Steel toecap
- > Life natural cool comfort lining
- > Rubber outsole
- > PU/D30 insole > Size range: 36-49













- > Safety category: SB HRO SRC
- > Full Grain Leather claret upper
- > Steel toecap
- > Life natural cool comfort lining
- > Rubber outsole
- > PU/D30 insole
- > Size range: 36-49


















HELIX BOA ULTRA BROWN

- > Safety category: SB HRO SRC
- > Full grain leather-brown upper
- > Steel toecap
- > Polyester lining
- > Rubber outsole
- > PU/D30 insole
- > Size range: 36-49











"These Energy Boots can take a beating when you have to work all day in rocky areas extracting crude oil and natural gas."



ENERGY LACE UP ESD

- > Safety category: SB HRO SRC
- > Full grain leather-brown upper
- > Steel toecap
- > Polvester lining
- > Rubber outsole
- > Polyurethane insole > Size range: 39-48













- > Safety category: SB HRO SRC
- > Full grain leather-brown upper
- > Steel toecap
- > Polyester lining
- > Rubber outsole
- > Polyurethane insole
- > Size range: 39-48















PERFORMANCE

- > Safety category: SB
- > Split crazy horse-brown upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > Rubber outsole > Moulded EVA insole
- > Size range: 35-48









- > Safety category: SB
- > Suede mesh upper
- > Steel toecap
- > Mesh lining > Rubber outsole
- > FVA insole
- > Size range: 38-47





BICKZ 720

- > Safety category: SB
- > Waxy waterproof leather-brown upper
- > Steel toecap
- > Mesh lining
- > Rubber outsole
- > EVA insole
- > Size range: 35-48









BICKZ 305

- > Safety category: SB SRC HRO
- > Full grain leather-black upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Bickz cool system-black lining
- > Rubber outsole
- > EVA-Bata VentAir® insole
- > Size range: 38-48
















BICKZ 202

- > Safety category: S3 SRA HRO
- > Nubuck upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Bickz cool system-black lining
- > Rubber outsole
- > EVA-Bata VentAir® insole
- > Size range: 38-48















BICKZ 728 ESD

- > Safety category: S3 SRC HRO
- > Nubuck upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > Rubber outsole
- > EVA insole
- > Size range: 36-48



















BICKZ 731 ESD

- > Safety category: S3 SRC HRO
- > Nubuck upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > Rubber outsole
- > EVA insole
- > Size range: 36-48















BICKZ 723 ESD

- > Safety category: S3 SRC HRO
- > Crazy horse full grain leather-dark brown upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > Rubber outsole
- > EVA insole
- > Size range: 36-48



















STRIKER

- > Safety category: SB SRC
- > Mesh upper
- > Steel toecap
- > Cambrelle-life natural lining
- > Rubber outsole
- > Ortholite insole
- > Size range: 36-48









"New models: Ultimate protection with high rebound."



CHARGER

- > Safety category: SB SRC
- > Mesh upper
- > Steel toecap
- > Polyester lining
- > Rubber outsole
- > Ortholite insole > Size range: 36-48











- > Safety category: SB SRC
- > KPU upper
- > Alloy toecap
- > Cambrelle-life natural lining
- > Rubber outsole
- > PU insole
- > Size range: 36-48











BRUTE

- > Safety category: SB SRC
- > KPU upper
- > Alloy toecap
- > Cambrelle-life natural lining
- > Rubber outsole
- > PU insole
- > Size range: 36-48











- > Safety category: Indonesia S1/Malaysia S1P
- > Black embossed split leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Moulded EVA insole
- > Size range: 35-48















- > Safety category: Indonesia S1 & S1P/Malaysia S1P
- > Black embossed split leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Moulded EVA insole
- > Size range: 35-48













BOUNDARY

- > Safety category: Indonesia S1/Malaysia S1P
- > Black embossed split leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Moulded EVA insole
- > Size range: 35-48













- > Safety category: Indonesia S1+ESD/Malaysia S1P+ESD
- > Black smooth action leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Latex insole
- > Size range: 35-48

















MACALLUM WHITE

- > Safety category: Indonesia S1/Malaysia S1P
- > Fly knitted mesh upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Latex insole
- > Size range: 35-48















MACALLUM RED

- > Safety category: Indonesia S1/Malaysia S1P
- > Fly knitted mesh upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Size range: 35-48

















ESPLANADE WHITE

- > Safety category: Indonesia S1+ESD/Malaysia S1P+ESD
- > White smooth action leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Latex insole
- > Size range: 35-48













ESPLANADE BLACK

- > Safety category: Indonesia S1+ESD/Malaysia S1P+ESD
- > Black smooth action leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Size range: 35-48















"The Lunar collection has been developed with Bata Industrials' years of experience and knowledge in safety footwear."



GLADSTONE BLACK

- > Safety category: Indonesia S1 & S1P/ Malaysia S1P
- > Upper from black embossed split leather 1.6-1.8mm
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole
- > Moulded EVA insole > Size range: 35-48















GLADSTONE BROWN

- > Safety category: Indonesia S1 & S1P/Malaysia S1P
- > Brown embossed split leather upper
- > Steel anti-penetration
- > Steel toecap
- > Mesh/anti abrasion counter lining
- > Dual density PU outsole > Moulded EVA insole
- > Size range: 35-48

















energy and increases comfort.

comfort and style into one design. Equator models are available in S1 and S1P standards. They include advanced features such as our ingenious Tunnelsystem® for the best possible shock absorption. The Easy Rolling System® prevents fatigue and loss of concentration, and in return saves



- > Safety category: S1 SRC
- > Cow split leather-black upper
- > Steel toecap
- > Textile-black lining
- > Dual density PU outsole
- > EVA-Bata VentAir® insole > Size range: 34-49









DARWIN 2

- > Safety category: S1 SRC
- > Cow split leather-black upper
- > Steel toecap
- > Textile-black lining
- > Dual density PU outsole > EVA-Bata VentAir® insole
- > Size range: 34-49







EQUATOR COLLECTION



DARWIN 2 BROWN

- > Safety category: S1 SRC
- > Cow split leather-brown upper
- > Steel toecap
- > Bata Xtreme®-brown lining
- > Dual density PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49









FRASER 2

- > Safety category: S1 SRC
- > Barton leather-brown upper
- > Steel toecap
- > Bata Xtreme®-brown lining
- > Dual density PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49







BARBADOS

- > Safety category: S1P SRC
- > Barton leather-black upper
- > FlexGuard composite penetration resistant insert
- > Steel toecap
- > Bata Xtreme®-black lining
- > Dual density PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49











CLARK

- > Safety category: S1P SRC
- > Barton leather-brown upper
- > FlexGuard composite penetration resistant insert
- > Steel toecap
- > Bata Xtreme®-brown lining
- > Dual density PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49













MAX

- > Safety category: SB SRC
- > Barton leather-black upper
- > Steel toecap
- > Textile lining
- > PU outsole > EVA insole
- > Size range: 34-49







BINTAN

- > Safety category: S1 SRC
- > Cow split leather-brown upper
- > Steel toecap
- > Cambrelle-brown lining
- > PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49







BORA

- > Safety category: S1 SRC
- > Cow split leather-black upper
- > Steel toecap
- > Cambrelle-black lining
- > PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49







HERO

- > Safety category: S1 SRC
- > Cow split leather-black upper
- > Steel toecap
- > Cambrelle-black lining
- > PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49







JURONG S1

- > Safety category: S1 SRC
- > Cow split leather-brown upper > Steel toecap
- > Cambrelle-black lining
- > PU outsole
- > EVA-Bata VentAir® insole
- > Size range: 34-49











PU-PU WALKMATE COLLECTION

Seriously safe. Seriously supportive.

The PU-PU Walkmate collection will make you feel safe throughout the day. Day & night. Packed with features unique to safety shoes, such as our Tunnel System® and Easy Rolling System®, these safety

shoes are also incredibly lightweight. Charleston and Conga have all these benefits, plus reflective strips on the upper to promote safety at night or in dark working environments.



CHARLESTON

- > Safety category: SB
- > Embossed split leather upper
- > Steel toecap
- > Grey mesh lining
- > PU outsole
- Moulded EVA insockSize range: 34-47







- > Safety category: SB
- > Embossed split leather upper
- > Steel toecap
- Grey mesh lining
- > PU outsole
- > Moulded EVA insock
- > Size range: 34-47





Both models are available for the Indonesian market. Charleston is available for Malaysia.





ASH

- > Safety category: OB
- > Black PVC upper
- > Polyester fiber lining
- > Black PVC outsole
- > Size range: 38-46







CEDAR

- > Safety category: OB
- > Green PVC upper
- > Polyester fiber lining > Beige PVC outsole
- > Size range: 38-46







OAK

- > Safety category: OB
- > Yellow PVC upper
- > Polyester fiber lining
- > Black PVC outsole
- > Size range: 38-46







PINE


- > Safety category: SB
- > Orange PVE upper
- > Steel toecap
- > Polyester fiber lining
- > Black PVC outsole
- > Size range: 38-46















ESSOS

- > Safety category: OB SRC
- > KPU/ leather/mesh upper
- > Breathable mesh
- > Rubber outsole
- > Ortholite insole
- > Size range: 36-48





FIRE

- > Safety category: OB SRC
- > Microfiber upper
- > Breathable mesh
- > Rubber outsole
- > Ortholite insole
- > Size range: 36- 50





ICE

- > Safety category: OB SRC
- > Microfiber upper
- > Breathable mesh
- > Rubber outsole
- > Ortholite insole
- > Size range: 36-50





RAVEN

- > Safety category: OB SRC
- > Microfiber upper
- > Breathable mesh > Rubber outsole
- > Ortholite insole
- > Size range: 36-50






ELEVATE AT

- > Safety category: SB SRC
- > Microfiber upper
- > Alloy toecap
- > Breathable mesh
- > Rubber outsole
- > Ortholite insole
- > Size range: 38-48











- > Full grain leather/fabric upper
- > Polyester lining
- > Rubber outsole
- > Ortholite insole > Size range: 39-47





CB8

- > Safety category: OB SRC
- > Full Grain Leather/Fabric upper
- > Polyester Lining
- > Rubber outsole
- > Ortholite Insole
- > Size range: 39-47





- > Zipper
- > Polyester Lining
- > Rubber outsole
- > Ortholite Insole > Size range: 39-47





CB11

- > Safety category: OB SRC
- > Full Grain Leather/Fabric upper
- > Zipper
- > Polyester Lining
- > Rubber outsole
- > Ortholite Insole
- > Size range: 39-47







for their professionals. Bata Industrials has all the expertise and years of experience to make the best provides maximum shock absorption. Thanks to the safety shoes. Together we have developed a collection HDry® membrane the shoes are waterproof, Odor of shoes, boots and socks of superior quality. The Control® prevents unpleasant odors and the breathable shoes and boots are made of full grain leather with Bata Cool Comfort® lining keeps your feet cool and dry. an extra soft PU inlay sole and a SRC certified rubber All to keep you fit, alert and therefore safe at work.





ANKLE HIGH MODEL WITH LACES AND ZIPPER

- > Safety category: S3 SRC WR HRO
- > Full grain leather-black upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Bata Cool Comfort® lining
- > Rubber outsole
- > Pu insole
- > Size range: 36-49
















BARGE PULL ON BOOT

- > Safety category: S3 SRC WR HRO
- > Full grain leather-black upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Bata Cool Comfort® lining
- > Rubber outsole
- > Pu insole
- > Size range: 36-49















HIGH MODEL WITH LACES AND ZIPPER

- > Safety category: S3 SRC WR HRO
- > Full grain leather-black upper
- > FlexGuard composite penetration resistant insert
- > Composite toecap
- > Bata Cool Comfort® lining
- > Rubber outsole
- > Pur insole
- > Size range: 36-49

















ANKLE HIGH MODEL WITH LACES

> Safety category: S3 SRC WR HRO

- > Full grain leather-black upper
- > FlexGuard composite penetration resistant insert
- > Composite toecan
- > Bata Cool Comfort® lining
- > Rubber outsole
- > Pu insole
- > Size range: 36-49

















- > Safety category: S1P SRC
- > Breathable mesh upper
- > FlexGuard composite penetration resistant insert
- > Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48









safety + durability + comfort + style



SUMM* FOUR ESD

- > Safety category: S1P SRC
- > Breathable mesh upper
- > FlexGuard composite penetration resistant insert
- > Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48















- > Safety category: S3 SRC
- > Technical nylon upper
- > FlexGuard composite penetration resistant insert
- > Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48

















SUMM+ TWO ESD

- > Safety category: S3 SRC
- > Technical nylon upper
- > FlexGuard composite penetration resistant insert
- > Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48



















SUMM* FIVE ESD

- > Safety category: S3 SRC
- > Action leather upper
- > FlexGuard composite penetration resistant insert
- > Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48















SUMM* SEVEN ESD

- > Safety category: S3 SRC
- > Putek fabric upper
- > FlexGuard composite penetration resistant insert
- >>Aluminum toecap
- > Odor Control mesh lining
- > TPU outsole
- > Premium Fit insole
- > Size range: 38-48















SAFETY GUMBOOTS



UTILITY

400mmH PVC Safety Gumboot

Black/Blue 892 69092

Black/Red 892 65190 (Size 13 avail) White/White 892 11090









892 22292



SAFEMATE

400mmH PVC Safety Gumboot

Only in size 50 Black/Yellow 892 62390







892 62290



JOBMASTER II

400mmH PVC Safety Gumboot



Green/Gum 400mm 892 73095

White/Gum 400mm 892 10095



892 10095





892 73095





JOBMASTER III

400mmH PVC Safety Gumboot

Black/Grey 400mm 892 62290









JOBMASTER II

400mmH PVC Safety Gumboot

Green/Orange 892 75192









NON SAFETY GUMBOOTS

GUMBOOT COMMON FEATURES



WATER RESISTANT Resistant to water penetrating the inside of the gumboot.



FUEL & OIL RESISTANT UPPER Upper is resistant to fuel & oil



SLIP RESISTANT Tested & certified to meet the

Australian standard for slip



JOBMASTER II 400mm

400mmH PVC Gumboot

Sizes

Colour White/Gum 892 13180

Sole









JOBMASTER II 400mm

400mmH PVC Gumboot

Sizes

Colour Green/Gum 892 73180

Sole









JOBMASTER III

300/400mmH PVC Gumboot

Sizes

Black/Green 400mm 892 67280

Sole





UTILITY

400mmH PVC Gumboot

Sizes

Black/Black 892 66380 (Size 13 Avail) Colour White/White 892 11080








300/400mmH PVC Gumboot

Black/Black 400mm 892 60079 Colour Black/Black 300mm 892 60069

Sole





made from a sustainable algae-based material that helps to remove harmful algae and reverse the effects of water pollution and rising global temperatures





JOBMASTER III

400mmH PVC Safety Gumboot

Grey/Grey 892 22292





PU INSOLE

- > Sizes 36-38, 39-42, 43-45, 46-48
- Sole PU
- > Designed for enhanced cushioning, these PU insoles are soft and shock absobent.



LATEX INSOLE

- > Sizes 36-38, 39-42, 43-45, 46-48
- > Sole Latex
- > Designed for extra support, to keep you feet in allignment as they fatigue during the day.



WORK SOCKS 3 PACK

- > Sizes: Medium 36-43/ Large 44-49
- > Colour: Bright colour pack
- > Fabric: Cotton/ Polyester/ Elastane/ Nylon



WORK SOCKS 3 PACK

- > Sizes: Medium 36-43/ Large 44-49
- > Colour: Dark colour pack
- > Fabric: Cotton/ Polyester/ Elastane/ Nylon

FIND YOUR SHOE

SHOE	PAGE			SAFE	TY CATEGO	ORY			SOLE T	YPE		UF	PER MATE	RIAL	FE	ATURES	INDUSTRIE
		Non safety (OB	SB	S1	51P) (S	2 53	Paris Paris) (pulipu pulipu		tilla par	(Kalifurda	(K)	(S)	detection framely (States	
RADIANCE COLLECTION													upper	Innatur			
Fit ESD	8					•			•			•			•	•	
Spark ESD	8					•			•			•			•	•	
Vigor ESD	8					•			•		١,						
Vim ESD	8					•			•			•			•	•	
Energy ESD	9						•		•			•			•	•	
Up ESD	9						•		•			•			•	•	
Vibe ESD	9						•		•		٠ .	•					
BRIGHT COLLECTION																	
Bright 021	13					•			•			•			•		
Bright 030	13					•			•			•			•		
Bright 041	13					•			•			•				•	
HELIX ULTRA COLLECTION	ON																
Horizon Ultra Zip	16			•					•				•				
Longreach Ultra	17			•					•				•				
ongreach Ultra Zip.	17			•					•				•				
Ranger Ultra Boa	17			•					•				•				
Trekker Ultra	17			•					•				•				
OIL & GAS COLLECTION																	
Helix Ultra Boa	19			•					•				•				
Energy Lace Up	19			•					•				•			•	
Energy Pull On	19			•					•				•			•	
BICKZ COLLECTION																	
Bickz Performance	20			•					•				•				
Bickz 705	20			•					•				•				
Bickz 720	20			•					•				•				
Bickz 305	20				•				•				•			•	
Bickz 202	21						•		•				•				
Bickz 728 ESD	21						•		•				•		•	•	
Bickz 731 ESD	21						•		•				•		•	•	
Bickz 732 ESD	21						•		•				•		•	•	
SPORTMATES® COLLECT	ION																
Striker	25			•					•		•	•					
Charger	25			•					•		•	•					
Force	25			•					•		•	•					
Brute	25			•					•		•	•					
LUNAR COLLECTION																	
Brick	27				•	•		•					•				<u>•</u>
Drury	27				•	•		•					•				<u></u>

FIND YOUR SHOE

SHOE	PAGE			SAFE	TY CAT	EGORY				SOLE	ТҮРЕ			UPPE	R MATE	RIAL		FE.	ATURES	INDUSTRIE
		Non safety	OB	SB	<u>\$1</u>	S1P	<u>\$2</u>	S3	pulpu safe	mubbher sole	puritors sole	() () ()	textile upper	microfiber upper	liatherhuede upper	ratical (Pro pro material	(S)	defection friendly	2. mark
Boundary	27				•	•			•						•					<u>a</u> (2)
Canon	27				•	•			•						•				•	
Macallum	28				•	•			•						•					
Esplanade	28				•	•			•						•				•	
Gladstone	29				•	•			•						•					
EQUATOR COLLECTION																				
Acapulco 2	30				•				•						•					astronophy (State of the Control of
Darwin 2	30				•				•						•					ALBOWSON (English) (E
Darwin 2 Brown	31				•				•						•					estamotive lawy (5
Fraser 2	31				•				•						•					have commetion
Barbados	31					•			•						•					Lawy Orderston
Clark	31					•			•						•					Lawy, Construction
TROPICAL COLLECTION	1																			
Max	33			•					•						•					Se de la constitución de la cons
Bintan	33				•				•						•					havy annual (
Bora	33				•				•						•					(Section (
Hero	33				•				•						•					
Jurong	33				•				•						•					learly Construction
PU-PU WALKMATE CO	DLLECTIO	N																		
Charleston	35			•					•						•					
Conga	35			•					•						•					and honorary (Energy Indicate)
APAC PVC BOOTS COL	LECTION																			
Ash	37	•										•				•				apriod tane
Cedar	37	•										•				•				agridance Right
0ak	37	•										•				•				aproduce (% in the latest of t
Pine	37			•								•					•			agriculture () () () () () () () () () (
PROFESSIONALS COLL	ECTION																			
Essos	39		•							•			•							
Fire	39		•							•			•							
Ice	39		•							•			•							
Raven	39		•							•			•							
Elevate AT	39			•						•			•							
TACTICAL COLLECTION																				
CB7	40		•							•					•					esting (
CB8	40		•							•					•					midday (south)
CB10	41		•							•					•					acidacy (society)
CB11	41		•							•					•					(scale)

FIND YOUR SHOE

SHOE	PAGE SAFETY CATEGORY				SOLE TYPE						UPP	er mati	ERIAL		FEATURES			INDUSTRIES			
	(Non safety (OB	SB	S1	(S1P)	52	<u>S3</u>	Parking Parking	nubber solu	pulipu sele	•	(Leatile upper	reicrefiber upper	leather/yuode	(K)	(K)	(P) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	detection transity	(2)/ <u>F</u>	
MAMMOET COLLECTION	N				•																
Anchor	43							•		•					•						nestraction (Many Indian)
Barge	43							•		•					•			•			annucleus (India) (India)
Bolster	43							•		•					•						
Winch	43							•		•					•						
SUMM+ COLLECTION																					
SUMM+ THREE ESD	45					•					•		•	•						•	(*) (*) (*)
SUMM+ FOUR ESD	45					•					•		•	•						•	() () () () () () () () () ()
SUMM⁺ ONE ESD	45							•			•		•	•						•	Significant Control of
SUMM⁺ TWO ESD	45							•			•		•	•						•	() () () () () () () () () ()
SUMM ⁺ FIVE	46							•							•					•	
SUMM+ SEVEN	46							•			•		•	•						•	The state of the s
AU SAFETY GUMBOOTS	COLLECT	ION																			
Utility	48			•								•				•					
Safemate	48			•								•				•					
Jobmaster II	48			•								•				•					
Jobmaster III	48			•								•				•					
AU NON SAFETY GUME	BOOTS COL	LECTIO	N																		
Jobmaster II	49	•										•				•					
Jobmaster III	49	•										•				•					
Utility	49	•										•				•					
Handyman	49	•										•				•					

THE SAFETY STANDARD

If a shoe carries a CE-label, this indicates the following: the product meets the requirements of European Regulation 2016/425 regarding personal protective equipment. The CE-standard EN ISO 20345 consists of two parts. The basis label means that a product meets a number of basic requirements. If the product also meets certain additional requirements, this is indicated by a symbol on the shoe.

EXPLANATION OF THE SYMBOLS

- **OB** Professional shoes without a toecap
- SB Protective footwear for professional use with toecaps designed to give protection against impact when tested at an energy level of 200 joules
- **S1** As SB plus antistatic properties, energy absorption of seat region, closed heel and resistance to fuel oil
- **S1P** As S1 plus anti penetration resistant insert
- **S2** As S1 plus water resistance and water absorption of upper material
- S3 As S2 plus anti penetration resistant insert and cleated outsole
- S4 All-rubber or all-polymer footwear, antistatic properties, energy absorption of seat region, protective toecap, closed heel and resistance to fuel oil
- S5 As S4 plus anti penetration resistant insert and cleated outsole

Additional requirements for special applications with specific marks:

Р	Penetration resistance	HI	Insulation against heat	HRO	Heat Resistant Outsole		
C	Conductive	CI	Insulation against cold	SBH	Hybrid footwear		
Α	Antistatic	CR	Cut resistant footwear	ESD	Electrostatic discharge		
E	Energy absorption	AN	Ankle protection		Slip resistance		
I	Insulating footwear	WR	Water resistant footwear	SRB/SRC			
М	Metatarsal protection 100 J	WRU	Water resistant upper				
	impact onorgy	EDII	Elamo rocistant uppor				

CAREFULLY READ THESE INSTRUCTIONS BEFORE USING THIS PRODUCT: This footwear is designed to minimize the risk of injury from the specific hazards as identified by the marking on the particular product (see marking codes above). However, always remember that no item of PPE can provide full protection and care must always be taken while carrying out the risk-related activity.

PERFORMANCE AND LIMITATIONS OF USE – These products have been tested in accordance with EN ISO 20345:2011 for the types of protection defined on the product by the marking codes explained above. However, always ensure that the footwear is suitable for the intended end use.

FITTING, SIZING – To put on and take off shoes or boots, always fully undo the fastening systems. Only wear footwear of a suitable size. Shoes that are either too loose or too tight will restrict movement and will not provide the optimum level of protection. The shoe size is always clearly marked on our shoes.

COMPATIBILITY – To optimize protection, in some instances it may be necessary to use this footwear with additional PPE such as protective trousers or over gaiters. In this case, before carrying out the risk related activity, consult your supplier to ensure that all your protective products are compatible and suitable for your application.

SOCKS & COMFORT – Wear Bata Industrials socks, change your socks regularly and, in case of perspiration, take alternating hot and cold baths. Use soap sparingly. Change shoes regularly: leather is a natural product and should be allowed to rest.

Check www.bataindustrials.com to contact our shoe advisor or to view all the standards that apply on each of our shoes.

Risk analysis is always the responsibility of the prevention advisor. The prevention advisor, in consultation with the hierarchal line, prepares the advice whereby the employer undertakes the necessary actions.

line, prepares the advice whereby the employer undertakes the necessary actions.

54 | Bata industrials



SERIOUSLY.